

Montageanleitung

Runder Feststehender Punktstrahler

Mounting instructions

Round fixed spotbulb

Instructions de montage

Spot à lampe rond fixe

Monteringsanvisning

Rund fast Spotlampa

Montagehandleiding

Ronde vaste spotlicht

Instrucciones de montage


Lámpara spot redonda fija

Istruzioni di montaggio

Spot a lampada rotonda fissa

Asennusohje

Pyöreä kiinteä spotvalo



Lieferumfang
Kit includes
Fourniture

Leveransomfattning
Inhould set
Volumen del suministro


Dotazione di fornitura
Osaluettelo

A

1 x






1 x




2

2JA 343 985-...

3






Nicht im Lieferumfang enthalten
 Not included with kit
 Non fournis
 Ingår ej i leveransen
 Worden niet meegeleverd
 No se incluyen en el suministro
 Non in dotazione
 Eivät kuulu toimitukseen



M max 1.5 Nm





3 X



***$\varnothing 3,0 \text{ mm}$
 DIN 7981***

5




Lampenwechsel
Changing the bulb
Remplacement de la lampe


Glödlampsbyte
De gloeilamp vervangen
Cambio de lámparas

Sostituzione del tubo
lampeggiatore
Polttimon vaihto


1




2



3



4



*max W5W,
(Hella GP 003 594-511)*

Technische Daten		Runder Feststehender Punktstrahler
Art.-Nr.	2JA-	343 985-...
Eingangsspannung	12 V	24 V
Stromverbrauch	5 W	5 W
Materialien	Gehäuse: PC+ABS, Lichtscheibe: PC, Reflektor: PC, Rahmen: ASA oder Stahl	
IP Klasse	3X	

Technical Data		Round fixed Spotbulb
Part No	2JA-	343 985-...
Input voltage	12 V	24 V
Power consumption	5 W	5 W
Materials	Housing: PC+ABS, Lens: PC, Reflector: PC, Bezel: ASA or Steel	
IP Class	3X	

Données Techniques		Spot à lampe rond fixe
Référence	2JA-	343 985-...
Tension d'entrée	12 V	24 V
Consommation	5 W	5 W
Matériaux	Boîtier: PC+ABS, Voyant: PC, Réflecteur: PC, Enjoliveur: ASA ou Acier	
Classe IP	3X	

Teknisk Information		Rund fast spotlampa
Artikelnr	2JA-	343 985-...
Inspänning	12 V	24 V
Effektförbrukning	5 W	5 W
Material	Kåpa: PC+ABS, Lins: PC, Reflektor: PC, Infattning: ASA eller Stål	
IP klass	3X	

Technische Gegevens		Ronde vaste spotlicht
Artikelnr.	2JA-	343 985-...
Ingangsspanning	12 V	24 V
Opgenomen vermogen	5 W	5 W
Materialien	Huis: PC+ABS, Lens: PC, Reflector: PC, Glasring: ASA of Staal	
IP Klasse	3X	

Datos Técnicos		Lámpara spot redonda fija
Nº de artículo	2JA-	343 985-...
Tensión de entrada	12 V	24 V
Consumo de corriente	5 W	5 W
Materiales	Caja: PC+ABS, Lente: PC, Reflector: PC, Pantalla: ASA o Acero	
Clase IP	3X	

Dati Tecnici		Spot a lampada rotonda fissa
N. art.	2JA-	343 985-...
Tensione di ingresso	12 V	24 V
Assorbimento di potenza	5 W	5 W
Materiali	Scatola: PC+ABS, Lente: PC, Riflettore: PC, Cornice: ASA o Acciaio	
Classe IP	3X	

Tekniset Tiedot		Pyöreä kiinteä spotvalo
Tuotenro.	2JA-	343 985-...
Jännite	12 V	24 V
Teho	5 W	5 W
Materiaalit	Runko: PC+ABS, Lasi: PC, Heijastaja: PC, Kehys: ASA tai Teräs	
IP Luokka	3X	