## **RDW**



## NEDERLAND (THE NETHERLANDS)



### EEC TYPE-APPROVAL CERTIFICATE

Communication concerning:

- type-approval
- extension of type-approval
- refusal of type-approval
- withdrawal of type-approval

of a type of a component (towbar) with regard to Directive (94/20/EEC)

Type-approval number: e4\*94/20\*2438\*00

Reason for extension:

#### **SECTION I**

0.1. Make (trade name of manufacturer) : Bosal

 $0.2. \hspace{0.5cm} \textbf{Type and general commercial description} (s) \hspace{0.5cm} : \hspace{0.5cm} 032174$ 

0.3. Means of identification of type marked on the : Type approval number component

0.3.1. Location of that marking : On type plate

0.5. Name and address of manufacturer : Bosal Le Rapide Rue de Reims

F-51490 Beine Nauroy France

0.7. In the case of components and separate technical: On type plate

units, location and method of affixing of the EEC type approval mark

0.8. Address(es) of assembly plant(s) : See information document

(annex III, item 0.8)

## Type-approval number: e4\*94/20\*2438\*00

### **SECTION II**

1. Additional information (where applicable) : See Appendix I

2. Technical service responsible for carrying out

the tests

RDW

Testbaan|Centrum

Talingweg 76

8218 NX Lelystad

3. Date of test report

: 15-09-2004

4. Number of test report

RDW-94/20-3064

5. Remarks (if any)

See Appendix I

6. Place

Zoetermeer

7. Date

15-09-2004

8. Signature

J.P.M. Laumen

- 9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request.
  - Application form relating to annex III and annexed drawings
  - Drawings and instructions for attachment
  - Fitting instructions
  - Test report as mentioned in item 4.

## Appendix I

# to EEC type-approval certificate No: e4\*94/20\*2438\*00 concerning the components type-approval of mechanical coupling devices with regard to Directive 94/20/EEC

1. Additional information
---------------------------

1.1. Class of the type of coupling : A50-X

1.2. Categories or types of vehicles for which : Peugeot / Citroën

the device is designed or restricted 307 (T50/51) / C4 (B50/51) 3 & 5 doors

1.3. Maximum D-value : 8.06 kN

1.4. Maximum vertical load S at the coupling point : 65 kg

1.5 Maximum load U at the fifth wheel : ---- ton

coupling point

1.6. Maximum V-value : ---- kN

1.7. Instructions for attachment of the coupling : See fitting instructions

type to the vehicle and photographs or drawings of the fitting points at the vehicle give by the manufacturer; additional information if the use of the coupling type is

restricted to special types of vehicles

1.8 Information on the fitting of special towing : See fitting instructions brackets or mounting plates

5. Remarks: The installation of the coupling device to the vehicle must be checked according to requirements of Annex VII, see Annex I, par.5.10.