

# Worklight



Our unique worklight with patented snow-melting and de-icing technology is particularly useful for all types of construction machines, snow ploughs and tractors. At a temperature of -25 °C – and with approx. 5 mm of ice on the lens, the temperature will increase to -18 °C after one minute,

to -1 °C after five minutes, to 15 °C after ten minutes and finally to 68 °C after one hour.

- Heated lens prevents ice and snow on the lamp
- High vibration resistance

**Width:** 122 mm  
**Height 1/2:** 106 / 143 mm  
**Depth:** 64,5 mm  
**ECE norm:** R10  
**Registration Type:** CE approved  
 E-type checked

**Temperature range:** -40 to +60 °C  
**Material:** Hardened diffusing lens  
**Voltage:** 9 to 36 V  
**Rated Power:** 40 W

Montage	LEDs	Lumen lm	Colour Temperature K	IP-Code	DU	Article no.
Mounting Bracket mounting Deutsch Connector	36	5400	6500	IP 68 IP 69K	1	80690329
Accessories	Light Function		Voltage V	see	DU	
Plug Housing Set Deutsch DT (TE Connectivity)				Katalog04	1	50390498
Control Unit, lights LED-Adapt	for indicator (LED) for reverse light (LED) for taillight (LED) for rear fog light (LED) for brake light (LED)		24	Katalog06	1	76121253
	for taillight (LED) for brake light (LED) for rear fog light (LED) for reverse light (LED) for indicator (LED)		12	Katalog06	1	76121252

