

# WOLF OFFICIALTECH 15W40 MS EXTRA

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 9/10/2017

Revision date: 30/11/2017

Supersedes: 9/10/2017

Version: 2.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : WOLF OFFICIALTECH 15W40 MS EXTRA  
Product code : 15757  
Product group : Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use  
Industrial/Professional use spec : Non-dispersive use  
Used in closed systems  
Function or use category : Lubricants and additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

WOLF OIL CORPORATION N.V.  
Georges Gilliotstraat, 52  
2620 Hemiksem - België  
T 0032 (0)3 870 00 00 - F 0032 (0)3 870 00 99  
[info@wolfoil.com](mailto:info@wolfoil.com)

#### 1.4. Emergency telephone number

Emergency number : +32 14 58 45 45 (NL/EN/FR/DE)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -  
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects  
Precautionary statements (CLP) : P273 - Avoid release to the environment  
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations  
EUH-statements : EUH208 - Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs, calcium salts(70024-69-0), Benzene, polypropene derivatives, sulfonated, calcium salts. May produce an allergic reaction

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

# WOLF OFFICIALTECH 15W40 MS EXTRA

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Name   | Product identifier  | %           | Classification according to Regulation (EC) No. 1272/2008 [CLP]  |
|--|---|-------------|--|
| Reaction products of Benzeneamine, N-phenyl- with nonene (branched)                    | (CAS No) 36878-20-3<br>(EC no) 253-249-4<br>(REACH-no) 01-2119488911-28                             | 1 - 2,49    | Aquatic Chronic 4, H413  |
| Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts | (CAS No) 84605-29-8<br>(EC no) 283-392-8<br>(REACH-no) 01-2119493626-26                             | 1 - 2,49    | Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Aquatic Chronic 2, H411   |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts                         | (CAS No) 70024-69-0<br>(EC no) 274-263-7<br>(REACH-no) 01-2119492616-28                             | 0,1 - 0,99  | Skin Sens. 1B, H317  |
| Benzene, polypropene derivatives, sulfonated, calcium salts                            | (EC no) POLYMER<br>(REACH-no) 01-2120040541-70  | 0,1 - 0,99  | Skin Sens. 1, H317   |
| Phenol, dodecyl-, branched   | (CAS No) 121158-58-5<br>(EC no) 310-154-3<br>(REACH-no) 01-2119513207-49                            | 0,01 - 0,15 | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Repr. 2, H361f<br>Aquatic Acute 1, H400 (M=10)<br>Aquatic Chronic 1, H410 (M=10)                                      |
| Diphenylamine  | (CAS No) 122-39-4<br>(EC no) 204-539-4<br>(EC index no) 612-026-00-5<br>(REACH-no) 01-2119488966-13 | 0,01 - 0,15 | Acute Tox. 3 (Oral), H301<br>Acute Tox. 3 (Dermal), H311<br>Acute Tox. 3 (Inhalation), H331<br>STOT RE 2, H373<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Not expected to require first aid measures.  
First-aid measures after skin contact : Wash skin with mild soap and water.  
First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes.  
First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.  
Symptoms/injuries after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use.  
Symptoms/injuries after eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of normal use.  
Symptoms/injuries after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water fog. Foam. Powder. Dry chemical product.  
Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire.  
Firefighting instructions : Use water spray or fog for cooling exposed containers.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

##### 6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves.

# WOLF OFFICIALTECH 15W40 MS EXTRA

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Impound and recover large spill by mixing it with inert granular solids.  
Methods for cleaning up : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.  
Other information : Spill area may be slippery. Use suitable disposal containers.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.  
Handling temperature : < 40 °C  
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : < 40 °C  
Storage area : Store in dry, cool, well-ventilated area.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| Diphenylamine (122-39-4) |                     |                  |
|--------------------------|---------------------|------------------|
| Belgium                  | Limit value (mg/m³) | 10 mg/m³ 06/2011 |

Additional information : 5 mg/m³ for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

### 8.2. Exposure controls

#### Personal protective equipment:

Safety glasses. Gloves.

#### Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

#### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

#### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Appearance : Oily liquid.  
Colour : Yellow-brown.  
Odour : Characteristic.  
Odour threshold : No data available  
pH : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point : No data available  
Freezing point : No data available

# WOLF OFFICIALTECH 15W40 MS EXTRA

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                  |   |
|----------------------------------|---|
| Boiling point                    | : No data available   |
| Flash point                      | : > 200 °C @ ASTM D92   |
| Auto-ignition temperature        | : No data available   |
| Decomposition temperature        | : No data available   |
| Flammability (solid, gas)        | : No data available   |
| Vapour pressure                  | : No data available   |
| Relative vapour density at 20 °C | : No data available   |
| Relative density                 | : No data available   |
| Density                          | : 859 kg/m³ @ 15°C  |
| Solubility                       | : Slightly soluble, the product remains on the water surface. |
| Log Pow                          | : No data available   |
| Viscosity, kinematic             | : 96 mm²/s @ 40°C   |
| Viscosity, dynamic               | : No data available   |
| Explosive properties             | : No data available   |
| Oxidising properties             | : No data available   |
| Explosive limits                 | : No data available   |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal conditions.

### 10.4. Conditions to avoid

No data available.

### 10.5. Incompatible materials

Strong oxidizers. acids. Bases.

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) |                            |
|---|----------------------------|
| LD50 oral rat   | > 5000 mg/kg OECD 401      |
| LD50 dermal rabbit  | > 5000 mg/kg OECD 402      |
| LC50 inhalation rat (Vapours - mg/l/4h)                                     | > 1,7 mg/l/4h EPA OPP 81-3 |

| Diphenylamine (122-39-4) |             |
|--------------------------|-------------|
| LD50 oral rat            | > 600 mg/kg |

|  |   |
|--|---|
| Skin corrosion/irritation                        | : Not classified  |
| Serious eye damage/irritation                    | : Not classified (Based on available data, the classification criteria are not met) |
| Respiratory or skin sensitisation                | : Not classified  |
| Germ cell mutagenicity                           | : Not classified  |
| Carcinogenicity                                  | : Not classified  |
| Reproductive toxicity                            | : Not classified  |
| Specific target organ toxicity (single exposure) | : Not classified  |

| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) |                                 |
|---|---------------------------------|
| NOAEL (acute, oral, animal/male)  | > 500 mg/kg bodyweight OECD 407 |

|  |                  |
|--|------------------|
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard                                  | : Not classified |

# WOLF OFFICIALTECH 15W40 MS EXTRA

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### WOLF OFFICIALTECH 15W40 MS EXTRA

|                      |                              |
|----------------------|------------------------------|
| Viscosity, kinematic | 96 mm <sup>2</sup> /s @ 40°C |
|----------------------|------------------------------|

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Reaction products of Benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)

|                                |                           |
|--------------------------------|---------------------------|
| LC50 fish 1                    | > 100 mg/l danio rerio    |
| EC50 Daphnia 1                 | > 100 mg/l                |
| EC50 other aquatic organisms 2 | > 1000 mg/l               |
| EC50 72h algae (1)             | 600 mg/l 3d - Chlorophyta |

#### Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)

|                                |                                    |
|--------------------------------|------------------------------------|
| LC50 fish 1                    | 4,5 mg/l Oncorhynchus mykiss       |
| LC50 fish 2                    | 46 mg/l Cyprinodon varietagus      |
| EC50 Daphnia 1                 | 23 mg/l                            |
| EC50 Daphnia 2                 | 0,8 mg/l @21d                      |
| EC50 other aquatic organisms 2 | 10000 mg/l @0,1d - Chlorophyta     |
| EC50 72h algae (1)             | 21 mg/l @3d - Chlorophyta          |
| NOEC (acute)                   | 1,8 mg/l @4d - Oncorhynchus mykiss |
| NOEC (chronic)                 | 10 mg/l @2d - Daphnia              |
| NOEC chronic fish              | 0,4 mg/l @21d - Daphnia            |
| NOEC chronic algae             | 10 mg/l @3d - Chlorophyta          |

#### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)

|                                |                                    |
|--------------------------------|------------------------------------|
| LC50 fish 1                    | > 1000 mg/l pimephales promelas    |
| LC50 fish 2                    | > 10000 mg/l cyprinodon variegatus |
| EC50 Daphnia 1                 | > 1000 mg/l                        |
| EC50 other aquatic organisms 2 | > 10000 mg/l 0,1d - slib           |
| EC50 96h algae (1)             | > 1000 mg/l Chlorophyta            |

#### Phenol, dodecyl-, branched (121158-58-5)

|                                |                             |
|--------------------------------|-----------------------------|
| LC50 fish 1                    | 40 mg/l Pimephales promelas |
| EC50 Daphnia 1                 | 0,037 mg/l                  |
| EC50 Daphnia 2                 | 0,0079 mg/l                 |
| EC50 other aquatic organisms 1 | > 0,58 mg/l                 |
| EC50 other aquatic organisms 2 | > mg/l                      |
| EC50 72h algae (1)             | 0,36 mg/l                   |
| NOEC (chronic)                 | 0,0037 mg/l @21d - Daphnia  |

#### Diphenylamine (122-39-4)

|                    |                       |
|--------------------|-----------------------|
| LC50 fish 1        | 0,1 - 1 mg/l          |
| EC50 Daphnia 1     | 0,31 mg/l             |
| EC50 96h algae (2) | 1,51 mg/l Chlorophyta |

### 12.2. Persistence and degradability

#### WOLF OFFICIALTECH 15W40 MS EXTRA

|                               |  |
|-------------------------------|--|
| Persistence and degradability | Not soluble in water, so only minimally biodegradable. |
|-------------------------------|--|

#### Reaction products of Benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)

|                |                     |
|----------------|---------------------|
| Biodegradation | 0 % Sturm-test @28d |
|----------------|---------------------|

#### Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)

|                |                            |
|----------------|----------------------------|
| Biodegradation | 1,5 % @28d - OECD TG 301 B |
|----------------|----------------------------|

#### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)

|                 |                              |
|-----------------|------------------------------|
| BOD (% of ThOD) | 8 % ThOD 28d - OECD TG 301 D |
|-----------------|------------------------------|

#### Phenol, dodecyl-, branched (121158-58-5)

|                |                                   |
|----------------|-----------------------------------|
| Biodegradation | 25 % @28d - strum - OECD TG 301 B |
|----------------|-----------------------------------|

#### Diphenylamine (122-39-4)

|                |   |
|----------------|---|
| Biodegradation | 26 % Gesloten fles @28d - OECD TG 301 D |
|----------------|---|

### 12.3. Bioaccumulative potential

#### Reaction products of Benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)

|                                     |         |
|-------------------------------------|---------|
| Bioconcentration factor (BCF REACH) | 1584,89 |
|-------------------------------------|---------|

# WOLF OFFICIALTECH 15W40 MS EXTRA

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Reaction products of Benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)                    |                           |
|---|---------------------------|
| Log Kow   | 3,6 @0,1d                 |
| Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) |                           |
| Log Kow   | 0,56 Measurements         |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)                         |                           |
| Log Kow   | 4,46 - 10,88 OECD 107/117 |
| Phenol, dodecyl-, branched (121158-58-5)  |                           |
| Bioconcentration factor (BCF REACH)   | 794,33                    |
| Log Kow   | 7,14 Measurements         |
| Diphenylamine (122-39-4)  |                           |
| Log Kow   | 3,4 Arithmetic            |

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : Not applicable  
UN-No. (IMDG) : Not applicable  
UN-No. (IATA) : Not applicable  
UN-No. (ADN) : Not applicable  
UN-No. (RID) : Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable  
Proper Shipping Name (ADN) : Not applicable  
Proper Shipping Name (RID) : Not applicable

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not applicable

#### IMDG

Transport hazard class(es) (IMDG) : Not applicable

#### IATA

Transport hazard class(es) (IATA) : Not applicable

#### ADN

Transport hazard class(es) (ADN) : Not applicable

#### RID

Transport hazard class(es) (RID) : Not applicable

### 14.4. Packing group

Packing group (ADR) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable

# WOLF OFFICIALTECH 15W40 MS EXTRA

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Not applicable

#### - Transport by sea

Not applicable

#### - Air transport

Not applicable

#### - Inland waterway transport

Not applicable

#### - Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

##### Germany

VwVwS Annex reference : Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Phenol, dodecyl-, branched are listed

SZW-lijst van mutagene stoffen : Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Phenol, dodecyl-, branched are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

##### Denmark

Recommendations Danish Regulation : Pregnant/breastfeeding women working with the product must not be in direct contact with the product  
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

# WOLF OFFICIALTECH 15W40 MS EXTRA

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 16: Other information

Indication of changes:

| Section | Changed item  | Change   | Comments |
|---------|---|----------|----------|
|         | Supersedes  | Added    |          |
|         | Revision date   | Modified |          |
| 2.1     | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Added    |          |
| 2.2     | Precautionary statements (CLP)                                  | Added    |          |
| 2.2     | Hazard statements (CLP)   | Added    |          |
| 2.2     | EUH-statements  | Modified |          |
| 3       | Composition/information on ingredients                          | Modified |          |
| 11.1    | Reason for no classification                                    | Added    |          |

Abbreviations and acronyms:

|  |  |
|--|--|
|  | ACGIH: American Conference of Governmental Industrial Hygienists   |
|  | TWA: Time Weighted Average   |
|  | TLV: Threshold Limit Value   |
|  | ASTM: American Society for Testing and Materials   |
|  | ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route                       |
|  | RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail                                    |
|  | ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin |
|  | IMDG: International Maritime Dangerous Goods   |
|  | ICAO: International Civil Aviation Organization  |
|  | IATA: International Air Transport Association  |
|  | STEL: Short Term Exposure Limit  |
|  | LD50: median Lethal Dose for 50% of subjects   |
|  | ATE: acute toxicity estimate   |
|  | LC50: median Lethal Concentration for 50% of subjects  |
|  | EC50: concentration producing 50% effect   |

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:

|                           |   |
|---------------------------|---|
| Acute Tox. 3 (Dermal)     | Acute toxicity (dermal), Category 3                               |
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3                               |
| Acute Tox. 3 (Oral)       | Acute toxicity (oral), Category 3                                 |
| Aquatic Acute 1           | Hazardous to the aquatic environment — Acute Hazard, Category 1   |
| Aquatic Chronic 1         | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Aquatic Chronic 2         | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Aquatic Chronic 4         | Hazardous to the aquatic environment — Chronic Hazard, Category 4 |
| Eye Dam. 1                | Serious eye damage/eye irritation, Category 1                     |
| Eye Irrit. 2              | Serious eye damage/eye irritation, Category 2                     |
| Repr. 2                   | Reproductive toxicity, Category 2                                 |
| Skin Irrit. 2             | Skin corrosion/irritation, Category 2                             |
| Skin Sens. 1              | Sensitisation — Skin, Category 1                                  |
| Skin Sens. 1B             | Sensitisation — Skin, category 1B                                 |
| STOT RE 2                 | Specific target organ toxicity — Repeated exposure, Category 2    |
| H301                      | Toxic if swallowed  |
| H311                      | Toxic in contact with skin  |
| H315                      | Causes skin irritation  |
| H317                      | May cause an allergic skin reaction                               |
| H318                      | Causes serious eye damage   |
| H319                      | Causes serious eye irritation                                     |
| H331                      | Toxic if inhaled  |
| H361f                     | Suspected of damaging fertility                                   |



# WOLF OFFICIALTECH 15W40 MS EXTRA

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|        |   |
|--------|---|
| H373   | May cause damage to organs through prolonged or repeated exposure |
| H400   | Very toxic to aquatic life  |
| H410   | Very toxic to aquatic life with long lasting effects              |
| H411   | Toxic to aquatic life with long lasting effects                   |
| H412   | Harmful to aquatic life with long lasting effects                 |
| H413   | May cause long lasting harmful effects to aquatic life            |
| EUH208 | Contains . May produce an allergic reaction                       |

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*