

# WOLF MOTOR OIL CF-4/SG SAE 30

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 6/01/2005

Revision date: 22/08/2018

Supersedes: 18/08/2016

Version: 5.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : WOLF MOTOR OIL CF-4/SG SAE 30  
Product code : 21203  
Product group : Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use  
Industrial/Professional use spec : Non-dispersive use  
Used in closed systems  
Function or use category : Lubricants and additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

WOLF OIL CORPORATION N.V.  
Georges Gilliotstraat, 52  
2620 Hemiksem - België  
T 0032 (0)3 870 00 00 - F 0032 (0)3 870 00 99  
[info@wolfoil.com](mailto:info@wolfoil.com)

#### 1.4. Emergency telephone number

Emergency number : +32 14 58 45 45 (NL/EN/FR/DE)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs, calcium salts(70024-69-0). May produce an allergic reaction  
EUH210 - Safety data sheet available on request

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Baseoil - unspecified	(CAS No) 64742-54-7 (EC no) 265-157-1	1 - 4,99	Asp. Tox. 1, H304
Reaction products of Benzeneamine, N-phenyl- with nonene (branched)	(CAS No) 36878-20-3 (EC no) 253-249-4 (REACH-no) 01-2119488911-28	0,1 - 0,99	Aquatic Chronic 4, H413

# WOLF MOTOR OIL CF-4/SG SAE 30

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	(CAS No) 84605-29-8 (EC no) 283-392-8 (REACH-no) 01-2119493626-26	0,1 - 0,99	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	(CAS No) 70024-69-0 (EC no) 274-263-7 (REACH-no) 01-2119492616-28	0,1 - 0,99	Skin Sens. 1B, H317
MOB Calcium branched chain alkyl phenate sulphide	(EC no) 291-829-9 (REACH-no) 01-2119524004-56	0,73926	Aquatic Chronic 4, H413
Phenol, dodecyl-, branched	(CAS No) 121158-58-5 (EC no) 310-154-3 (REACH-no) 01-2119513207-49	0,01 - 0,025	Skin Corr. 1C, H314 Eye Dam. 1, H318 Repr. 1B, H360F Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	(CAS No) 84605-29-8 (EC no) 283-392-8 (REACH-no) 01-2119493626-26	( 6,25 =<C < 100) Skin Irrit. 2, H315 ( 10 =<C < 12,5) Eye Irrit. 2, H319 ( 12,5 =<C < 100) Eye Dam. 1, H318

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures after inhalation : Not expected to require first aid measures.
- First-aid measures after skin contact : Wash skin with mild soap and water.
- First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes.
- First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
- Symptoms/injuries after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use.
- Symptoms/injuries after eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
- Symptoms/injuries after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Water fog. Foam. Powder. Dry chemical product.
- Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

- Precautionary measures fire : Exercise caution when fighting any chemical fire.
- Firefighting instructions : Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable protective clothing and gloves.

#### 6.1.2. For emergency responders

- Protective equipment : Wear suitable protective clothing and gloves.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

- For containment : Impound and recover large spill by mixing it with inert granular solids.
- Methods for cleaning up : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.
- Other information : Spill area may be slippery. Use suitable disposal containers.

# WOLF MOTOR OIL CF-4/SG SAE 30

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.

Handling temperature : < 40 °C

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : < 40 °C

Storage area : Store in dry, cool, well-ventilated area.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Baseoil - unspecified (64742-54-7)		
Belgium	Limit value (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 06/2011
Belgium	Short time value (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> 06/2011

Additional information : 5 mg/m<sup>3</sup> for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

### 8.2. Exposure controls

#### Personal protective equipment:

Safety glasses. Gloves.

#### Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

#### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

#### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Oily liquid.

Colour : Yellow-brown.

Odour : Characteristic.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : > 200 °C @ ASTM D92

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

# WOLF MOTOR OIL CF-4/SG SAE 30

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 892 kg/m <sup>3</sup> @ 15°C
Solubility	: Slightly soluble, the product remains on the water surface.
Log Pow	: No data available
Viscosity, kinematic	: 100 mm <sup>2</sup> /s @ 40°C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal conditions.

### 10.4. Conditions to avoid

No data available.

### 10.5. Incompatible materials

Strong oxidizers. acids. Bases.

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Baseoil - unspecified (64742-54-7)	
LD50 oral	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 5000 mg/l/4h mg/m <sup>3</sup> @ 4h

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)	
LD50 oral rat	> 5000 mg/kg OECD 401
LD50 dermal rabbit	> 5000 mg/kg OECD 402
LC50 inhalation rat (Vapours - mg/l/4h)	> 1,7 mg/l/4h EPA OPP 81-3

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)	
NOAEL (acute, oral, animal/male)	> 500 mg/kg bodyweight OECD 407

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

WOLF MOTOR OIL CF-4/SG SAE 30	
Viscosity, kinematic	100 mm <sup>2</sup> /s @ 40°C

# WOLF MOTOR OIL CF-4/SG SAE 30

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Based on available data, the classification criteria are not met.

Reaction products of Benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)	
LC50 fish 1	> 100 mg/l danio rerio
EC50 Daphnia 1	> 100 mg/l
EC50 other aquatic organisms 2	> 1000 mg/l
EC50 72h algae (1)	600 mg/l 3d - Chlorophyta

Phenol, dodecyl-, branched (121158-58-5)	
LC50 fish 1	40 mg/l Pimephales promelas
EC50 Daphnia 1	0,037 mg/l
EC50 Daphnia 2	0,0079 mg/l
EC50 other aquatic organisms 1	> 0,58 mg/l
EC50 other aquatic organisms 2	> mg/l
EC50 72h algae (1)	0,36 mg/l
NOEC (chronic)	0,0037 mg/l @21d - Daphnia

Baseoil - unspecified (64742-54-7)	
LC50 fish 1	> 100 mg/l Pimephales promelas @4d
EC50 Daphnia 1	> 10000 mg/l
EC50 Daphnia 2	> 10 mg/l 21d
EC50 96h algae (1)	> 100 mg/l 3d - Chlorophyta
NOEC (chronic)	> 10 mg/l 21d

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)	
LC50 fish 1	> 1000 mg/l pimephales promelas
LC50 fish 2	> 10000 mg/l cyprinodon variegatus
EC50 Daphnia 1	> 1000 mg/l
EC50 other aquatic organisms 2	> 10000 mg/l 0,1d - slib
EC50 96h algae (1)	> 1000 mg/l Chlorophyta

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)	
LC50 fish 1	4,5 mg/l Oncorhynchus mykiss
LC50 fish 2	46 mg/l Cyprinodon varietagus
EC50 Daphnia 1	23 mg/l
EC50 Daphnia 2	0,8 mg/l @21d
EC50 other aquatic organisms 2	10000 mg/l @0,1d - Chlorophyta
EC50 72h algae (1)	21 mg/l @3d - Chlorophyta
NOEC (acute)	1,8 mg/l @4d - Oncorhynchus mykiss
NOEC (chronic)	10 mg/l @2d - Daphnia
NOEC chronic fish	0,4 mg/l @21d - Daphnia
NOEC chronic algae	10 mg/l @3d - Chlorophyta

#### 12.2. Persistence and degradability

WOLF MOTOR OIL CF-4/SG SAE 30	
Persistence and degradability	Not soluble in water, so only minimally biodegradable.
Reaction products of Benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)	
Biodegradation	0 % @28d OECD TG 301 B
Phenol, dodecyl-, branched (121158-58-5)	
Biodegradation	25 % @28d - strum - OECD TG 301 B
Baseoil - unspecified (64742-54-7)	
Biodegradation	31 % 28d - OECD TG 301 B
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)	
BOD (% of ThOD)	8 % ThOD 28d - OECD TG 301 D
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)	
Biodegradation	1,5 % @28d - OECD TG 301 B

#### 12.3. Bioaccumulative potential

Reaction products of Benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)	
Bioconcentration factor (BCF REACH)	1584,89

# WOLF MOTOR OIL CF-4/SG SAE 30

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Reaction products of Benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)

Log Kow	10,88
---------	-------

### Phenol, dodecyl-, branched (121158-58-5)

Bioconcentration factor (BCF REACH)	794,33
-------------------------------------	--------

Log Kow	7,14 Measurements
---------	-------------------

### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)

Log Kow	4,46 - 10,88 OECD 107/117
---------	---------------------------

### Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)

Log Kow	0,56 Measurements
---------	-------------------

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: Not applicable
----------------------------------	------------------

#### IMDG

Transport hazard class(es) (IMDG)	: Not applicable
-----------------------------------	------------------

#### IATA

Transport hazard class(es) (IATA)	: Not applicable
-----------------------------------	------------------

#### ADN

Transport hazard class(es) (ADN)	: Not applicable
----------------------------------	------------------

#### RID

Transport hazard class(es) (RID)	: Not applicable
----------------------------------	------------------

### 14.4. Packing group

Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

# WOLF MOTOR OIL CF-4/SG SAE 30

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

No data available

#### - Transport by sea

No data available

#### - Air transport

No data available

#### - Inland waterway transport

No data available

#### - Rail transport

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

##### Germany

VwVwS Annex reference : Water hazard class (WGK) nwg, Non-hazardous to water (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : Phenol, dodecyl-, branched, Baseoil - unspecified, Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, MOB Calcium branched chain alkyl phenate sulphide are listed

SZW-lijst van mutagene stoffen : Phenol, dodecyl-, branched, Baseoil - unspecified, Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## SECTION 16: Other information

Abbreviations and acronyms:

	ACGIH: American Conference of Governmental Industrial Hygienists
	TWA: Time Weighted Average
	TLV: Threshold Limit Value
	ASTM: American Society for Testing and Materials

# WOLF MOTOR OIL CF-4/SG SAE 30

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	IMDG: International Maritime Dangerous Goods
	ICAO: International Civil Aviation Organization
	IATA: International Air Transport Association
	STEL: Short Term Exposure Limit
	LD50: median Lethal Dose for 50% of subjects
	ATE: acute toxicity estimate
	LC50: median Lethal Concentration for 50% of subjects
	EC50: concentration producing 50% effect

Other information : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

### Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1B	Sensitisation — Skin, category 1B
H304	May be fatal if swallowed and enters airways
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H360F	May damage fertility
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life
EUH208	Contains . May produce an allergic reaction
EUH210	Safety data sheet available on request

### SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*