## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 24/10/2007 Revision date: 12/03/2018 Supersedes: 16/03/2016 Version: 6.0

1.1.	Product identifier	
Product		: Mixture
Product name		: WOLF CENTRAL HYDRAULIC FLUID
Product name Product code		: 5078
Product		: Blend
FIUUUCI	group	
1.2.	Relevant identified uses of the su	ubstance or mixture and uses advised against
1.2.1.	Relevant identified uses	
Main us	e category	: Industrial use, Professional use, Consumer use
Industria	al/Professional use spec	: Non-dispersive use Used in closed systems
Function	n or use category	: Lubricants and additives
1.2.2.	Uses advised against	
No addi	tional information available	
1.3.	Details of the supplier of the safe	tv data sheet
Georges 2620 He T 0032 info@w	DIL CORPORATION N.V. s Gilliotstraat, 52 emiksem - België (0)3 870 00 00 - F 0032 (0)3 870 00 9 <u>olfoil.com</u>	9
1.4.	Emergency telephone number	
Emerge	ncy number	: +32 14 58 45 45 (NL/EN/FR/DE)
SECT	ION 2: Hazards identification	
2 1	Classification of the substance of	r mixture
Classifi Acute to Hazardo	Classification of the substance of ication according to Regulation (EC exicity (inhalation:dust,mist) Category 4 bus to the aquatic environment — Chro c of H statements : see section 16	2) No. 1272/2008 [CLP] 4 H332
Classifi Acute to Hazardo Full text Advers	ication according to Regulation (EC oxicity (inhalation:dust,mist) Category 4 ous to the aquatic environment — Chro c of H statements : see section 16 e physicochemical, human health a	5) No. 1272/2008 [CLP] 4 H332 onic Hazard, Category 3 H412
Classifi Acute to Hazardo Full text Adverso No addi	ication according to Regulation (EC oxicity (inhalation:dust,mist) Category 4 ous to the aquatic environment — Chro of H statements : see section 16 e physicochemical, human health a tional information available	5) No. 1272/2008 [CLP] 4 H332 onic Hazard, Category 3 H412
Acute to Hazardo Full text Adverso No addi 2.2.	ication according to Regulation (EC oxicity (inhalation:dust,mist) Category 4 ous to the aquatic environment — Chro c of H statements : see section 16 e physicochemical, human health a tional information available Label elements	5) No. 1272/2008 [CLP] 4 H332 onic Hazard, Category 3 H412 and environmental effects
Classifi Acute to Hazardo Full text Advers No addi 2.2. Labellir	ication according to Regulation (EC oxicity (inhalation:dust,mist) Category 4 ous to the aquatic environment — Chro of H statements : see section 16 e physicochemical, human health a tional information available	c) No. 1272/2008 [CLP] 4 H332 onic Hazard, Category 3 H412 and environmental effects . 1272/2008 [CLP] :
Classifi Acute to Hazardo Full text Adverso No addi 2.2. Labellir Hazard	ication according to Regulation (EC exicity (inhalation:dust,mist) Category 4 ous to the aquatic environment — Chro c of H statements : see section 16 e physicochemical, human health a tional information available Label elements ng according to Regulation (EC) No. pictograms (CLP)	c) No. 1272/2008 [CLP] 4 H332 onic Hazard, Category 3 H412 and environmental effects . 1272/2008 [CLP] : GHS07
Classifi Acute to Hazardo Full text Advers No addi 2.2. Labellir Hazard Signal v	ication according to Regulation (EC exicity (inhalation:dust,mist) Category 4 bus to the aquatic environment — Chro is of H statements : see section 16 e physicochemical, human health a tional information available Label elements ing according to Regulation (EC) No. pictograms (CLP)	c) No. 1272/2008 [CLP] 4 H332 onic Hazard, Category 3 H412 and environmental effects . 1272/2008 [CLP] .:
Classifi Acute to Hazardo Full text Advers No addi 2.2. Labellir Hazard Signal w Hazardo	ication according to Regulation (EC oxicity (inhalation:dust,mist) Category 4 ous to the aquatic environment — Chro c of H statements : see section 16 e physicochemical, human health a tional information available Label elements ng according to Regulation (EC) No. pictograms (CLP) ous ingredients	c) No. 1272/2008 [CLP] 4 H332 onic Hazard, Category 3 H412 and environmental effects . 1272/2008 [CLP] : GHS07 : Warning : 1-Decene, dimer, hydrogenated
Classifi Acute to Hazardo Full text Advers No addi 2.2. Labellir Hazard Signal w Hazardo	ication according to Regulation (EC exicity (inhalation:dust,mist) Category 4 bus to the aquatic environment — Chro is of H statements : see section 16 e physicochemical, human health a tional information available Label elements ing according to Regulation (EC) No. pictograms (CLP)	c) No. 1272/2008 [CLP] 4 H332 onic Hazard, Category 3 H412 and environmental effects . 1272/2008 [CLP]
Classifi Acute to Hazardo Full text Advers No addi 2.2. Labellir Hazard Signal w Hazardo Hazard	ication according to Regulation (EC oxicity (inhalation:dust,mist) Category 4 ous to the aquatic environment — Chro c of H statements : see section 16 e physicochemical, human health a tional information available Label elements ng according to Regulation (EC) No. pictograms (CLP) ous ingredients	c) No. 1272/2008 [CLP] 4 H332 onic Hazard, Category 3 H412 and environmental effects . 1272/2008 [CLP] F GHS07 E Warning E 1-Decene, dimer, hydrogenated E H332 - Harmful if inhaled

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2.3. Other hazards

#### No additional information available

### **SECTION 3: Composition/information on ingredients**

3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-Decene, dimer, hydrogenated	(CAS No) 68649-11-6 (EC no) 500-228-5 (REACH-no) 01-2119537268-33	< 75	Acute Tox. 4 (Inhalation), H332 Asp. Tox. 1, H304
Baseoil - unspecified	(CAS No) 72623-87-1 (EC no) 276-738-4 (EC index no) 649-483-00-5 (REACH-no) 01-2119474889-13	14,9	Asp. Tox. 1, H304
2,6-Di-tert-butylphenol	(CAS No) 128-39-2 (EC no) 204-884-0 (REACH-no) 01-2119490822-33	0,99	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-[(diisoalkyloxyphosphorothioyl)thio]-2-methylalkanoic acid	(CAS No) 268567-32-4 (EC no) 434-070-2 (REACH-no) 01-2119658068-31	0,99	Eye Dam. 1, H318 Skin Sens. 1, H317
Reaction products of P-/N-/S-containing compounds with propionic acid	(REACH-no) 01-2119982395-25	0,99	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410 Aquatic Chronic 2, H411

#### Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measure	es
First-aid measures after inhalation	: Not expected to require first aid measures.
First-aid measures after skin contact	: Wash skin with mild soap and water.
First-aid measures after eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/injuries after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/injuries after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/injuries after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of norma use.
Symptoms/injuries after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.
4.3. Indication of any immediate me	edical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water fog. Foam. Powder. Dry chemical product.		
Unsuitable extinguishing media	: Do not use a heavy water stream.		
5.2. Special hazards arising from the su	ubstance or mixture		
No additional information available			
5.3. Advice for firefighters			
Precautionary measures fire	: Exercise caution when fighting any chemical fire.		
Firefighting instructions	: Use water spray or fog for cooling exposed containers.		
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.		

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830			
SECTION 6: Accidental release measures			
6.1. Personal precautions, protective	1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel	5.1.1. For non-emergency personnel		
Protective equipment	: Wear suitable protective clothing and gloves.		
6.1.2. For emergency responders			
Protective equipment	: Wear suitable protective clothing and gloves.		
6.2. Environmental precautions			
Prevent entry to sewers and public waters. No	tify authorities if product enters sewers or public waters.		
6.3. Methods and material for contain	ment and cleaning up		
For containment	: Impound and recover large spill by mixing it with inert granular solids.		
Methods for cleaning up	: Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.		
Other information	: Spill area may be slippery. Use suitable disposal containers.		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.		
Handling temperature	: < 40 °C		
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.		
7.2. Conditions for safe storage, inclu	Iding any incompatibilities		
Storage temperature	: <40 °C		
Storage area	: Store in dry, cool, well-ventilated area.		
7.3. Specific end use(s)			
No additional information available			
SECTION 8: Exposure controls/pe	rsonal protection		
8.1. Control parameters			
Additional information	: 5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).		
8.2. Exposure controls			
Personal protective equipment:			
Safety glasses. Gloves.			
Hand protection:			
Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /			
Skin and body protection:			
No special clothing/skin protection equipment is recommended under normal conditions of use			
Respiratory protection:			
No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.			
<b>SECTION 9: Physical and chemica</b>	Il properties		

ocorrow s. r nysical and chemical properties		
9.1. Information on basic pl	Information on basic physical and chemical properties	
Physical state	: Liquid	
Appearance	: Oily liquid.	
Colour	: Green.	
Odour	: Characteristic.	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 100 °C @ ISO 2592
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: < 0,1 hPa @20°C
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ≈ 830 kg/m³ @20°C
Solubility	: Slightly soluble, the product remains on the water surface.
Log Pow	: No data available
Viscosity, kinematic	: 21 mm²/s @ 40C DIN 51562
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0,6 - 6,5 vol %
9.2. Other information	

No additional information available

SECT	ION 10: Stability and reactivity	
JECI		
10.1.	Reactivity	
None under normal conditions.		
10.2.	Chemical stability	
Stable under normal conditions.		
10.3.	Possibility of hazardous reactions	
None u	nder normal conditions.	
10.4.	Conditions to avoid	
No data available.		
10.5.	Incompatible materials	
Strong oxidizers. acids. Bases.		
10.6.	Hazardous decomposition products	
Noneu	nder normal conditions	

None under normal conditions.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity : Inhalation:dust,mist: Harmful if inhaled.		
ATE CLP (dust,mist)	2,504 mg/l/4h	
1-Decene, dimer, hydrogenated (68649-11-6)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 3000 mg/kg	
Reaction products of P-/N-/S-containing compounds with propionic acid		
LD50 oral rat	> 2000 mg/kg	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
WOLF CENTRAL HYDRAULIC FLUID	
Viscosity, kinematic	21 mm <sup>2</sup> /s @ 40C DIN 51562

SECTION 42: Ecological information		
SECTION 12: Ecological information		
12.1. Toxicity		
1-Decene, dimer, hydrogenated (68649-11-6)		
LC50 fish 1	> 1000 mg/l Oncorhynchus mykiss	
EC50 Daphnia 1	> 1000 mg/l Daphnia magna	
ErC50 (algae)	> 1000 mg/l @72h Selenastrum capricornutum	
NOEC chronic crustacea	125 mg/l @21d Daphnia magna	
Reaction products of P-/N-/S-containing comp	ounds with propionic acid	
LC50 fish 1	1 - 10 mg/l	
EC50 Daphnia 1	1 - 10 mg/l	
40.0 Development of the second development of the		
12.2. Persistence and degradability		
WOLF CENTRAL HYDRAULIC FLUID		
Persistence and degradability	Not soluble in water, so only minimally biodegradable.	
12.3. Bioaccumulative potential		
1-Decene, dimer, hydrogenated (68649-11-6)		
Log Pow	> 6,5	
Reaction products of P-/N-/S-containing comp	ounds with propionic acid	
Log Pow	>6	
12.4. Mobility in soil		
Baseoil - unspecified (72623-87-1)		
Ecology - soil	Adsorbs into the soil.	
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		
No additional information available		
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Additional information :	Dispose in a safe manner in accordance with local/national regulations.	
SECTION 14: Transport information		
In accordance with ADR / RID / IMDG / IATA / ADN	N	
14.1. UN number		
UN-No. (ADR)	Not applicable	
UN-No. (IMDG)	Not applicable	
UN-No. (IATA)	Not applicable	
UN-No. (ADN)	Not applicable	
	Not applicable	
14.2. UN proper shipping name		
	Not applicable	
Proper Shipping Name (IMDG)	Not applicable	
Proper Shipping Name (IATA)	Not applicable	
Proper Shipping Name (ADN)	Not applicable	
,	Not applicable	
14.3. Transport hazard class(es) ADR		
	Not applicable	
Tanopul hazalu class(es) (ADR)		

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

IMDG	
Transport hazard class(es) (IMDG)	: Not applicable
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: Not applicable
ADN	
Transport hazard class(es) (ADN)	: Not applicable
RID	
Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
- Overland transport	

No data available

- Transport by sea No data available

- Air transport

No data available

- Inland waterway transport

No data available

### - Rail transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

### 15.1.2. National regulations

### Germany

VwVwS Annex reference	: Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex 4)	
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)	
Netherlands		
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed	
SZW-lijst van mutagene stoffen	: None of the components are listed	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed

#### Denmark

**Recommendations Danish Regulation** 

: Young people below the age of 18 years are not allowed to use the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

#### **SECTION 16: Other information**

ACGIH: American Conference of Governmental Industrial Hygienists
TWA: Time Weighted Average
TLV: Threshold Limit Value
ASTM: American Society for Testing and Materials
ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
IMDG: International Maritime Dangerous Goods
ICAO: International Civil Aviation Organization
IATA: International Air Transport Association
STEL: Short Term Exposure Limit
LD50: median Lethal Dose for 50% of subjects
ATE: acute toxicity estimate
LC50: median Lethal Concentration for 50% of subjects
 EC50: concentration producing 50% effect

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H-	and FUI	-I-statements

	-	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Sensitisation — Skin, Category 1	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H332	Harmful if inhaled	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	
EUH208	Contains . May produce an allergic reaction	
H400 H410 H411 H412	Very toxic to aquatic life         Very toxic to aquatic life with long lasting effects         Toxic to aquatic life with long lasting effects         Harmful to aquatic life with long lasting effects	

#### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product