# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010 Date of issue:2/03/2009 Revision date:8/08/2016Supersedes:4/03/2016 Version: 4.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product form : Mixture

: CHAMPION ACTIVE DEFENCE SAE 40 SF/CD Product name

Product code : 184 Product group : Blend

#### Relevant identified uses of the substance or mixture and uses advised against 1.2.

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use

Industrial/Professional use spec : Non-dispersive use

Used in closed systems

: Lubricants and additives Function or use category

#### 1.2.2. **Uses advised against**

No additional information available

#### Details of the supplier of the safety data sheet

WOLF OIL CORPORATION N.V. Georges Gilliotstraat, 52 2620 Hemiksem - België T 0032 (0)3 870 00 00 - F 0032 (0)3 870 00 99

info@wolfoil.com

#### **Emergency telephone number** 1.4.

Emergency number : +32 14 58 45 45 (NL/EN/FR/DE)

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Label elements 2.2.

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**EUH-statements** : EUH208 - Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts. May

produce an allergic reaction

EUH210 - Safety data sheet available on request

Child-resistant fastening : No Tactile warning : No

#### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. **Mixture**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Mineral oil		1 - 4,99	Asp. Tox. 1, H304

25/08/2016 1/8 EN (English)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Phenol, dodecyl-, branched	(EC no) 310-154-3 (REACH-no) 01-2119513207-49	0,1 - 0,99	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361f Aquatic Acute 1, H400 Aquatic Chronic 1, H410 (M=10)
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	(EC no) 274-263-7 (REACH-no) 01-2119492616-28	0,1 - 0,99	Skin Sens. 1B, H317
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	(EC no) 283-392-8	0,1 - 0,99	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Not expected to require first aid measures. First-aid measures after skin contact : Wash skin with mild soap and water.

First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal

use.

Symptoms/injuries after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use.

Symptoms/injuries after eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of normal

use.

Symptoms/injuries after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal

use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Water fog. Foam. Powder. Dry chemical product.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

# 5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

## 6.3. Methods and material for containment and cleaning up

For containment : Impound and recover large spill by mixing it with inert granular solids.

Methods for cleaning up : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.

Other information : Spill area may be slippery. Use suitable disposal containers.

#### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually

required.

25/08/2016 EN (English) 2/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Handling temperature : < 40 °C

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : < 40 °C

Storage area : Store in dry, cool, well-ventilated area.

#### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Mineral oil		
Belgium	Limit value (mg/m³)	5 mg/m³ 06/2011
Belgium	Short time value (mg/m³)	10 mg/m³ 06/2011

Additional information

: 5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

#### 8.2. Exposure controls

Personal protective equipment : Safety glasses. Gloves.

Hand protection : Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm.

Nitrile rubber (NBR) /

Skin and body protection : No special clothing/skin protection equipment is recommended under normal conditions of use

Respiratory protection : No special respiratory protection equipment is recommended under normal conditions of use

with adequate ventilation.



Physical state



## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Appearance : Oily liquid. Colour Yellow-brown. Odour · Characteristic Odour threshold : No data available рΗ : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point No data available Freezing point : No data available Boiling point : No data available : > 220 °C @ ASTM D92 Flash point : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Density : 892 kg/m³ @15°C

Solubility : Slightly soluble, the product remains on the water surface.

: Liquid

Log Pow : No data available
Viscosity, kinematic : 148 mm²/s @ 40°C
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

25/08/2016 EN (English) 3/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

#### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

None under normal conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

None under normal conditions.

#### 10.4. Conditions to avoid

No data available.

#### 10.5. Incompatible materials

Strong oxidizers. acids. Bases.

#### 10.6. Hazardous decomposition products

None under normal conditions.

#### SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

Mineral oil	
LD50 oral	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 5000 mg/l/4h mg/m³ @4h

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	
LD50 oral rat	> 5000 mg/kg OECD 401
LD50 dermal rabbit	> 5000 mg/kg OECD 402
LC50 inhalation rat (Vapours - mg/l/4h)	> 1,7 mg/l/4h EPA OPP 81-3

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified

#### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts

NOAEL (acute, oral, animal/male) > 500 mg/kg bodyweight OECD 407

Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

## **CHAMPION ACTIVE DEFENCE SAE 40 SF/CD**

Viscosity, kinematic 148 mm²/s @ 40°C

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Based on available data, the classification criteria are not met.

Phenol, dodecyl-, branched		
LC50 fish 1	40 mg/l Pimephales promelas	
EC50 Daphnia 1	0,037 mg/l	
EC50 Daphnia 2	0,0079 mg/l @21d	
EC50 other aquatic organisms 1	0,36 mg/l Chlorophyta	
EC50 other aquatic organisms 2	> 1000 mg/l @0,1d - Slib	
EC50 96h algae (2)	> 0,58 mg/l Mysidopsis Bahia	
NOEC (chronic)	0,0037 mg/l @21d - Daphnia	

25/08/2016 EN (English) 4/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Mineral oil	
LC50 fish 1	> 100 mg/l Pimephales promelas @4d
EC50 Daphnia 1	> 10000 mg/l
EC50 Daphnia 2	> 10 mg/l 21d
EC50 96h algae (1)	> 100 mg/l 3d - Chlorophyta
NOEC (chronic)	> 10 mg/l 21d
Benzenesulfonic acid, mono-C16-24-al	kyl derivs., calcium salts
LC50 fish 1	> 1000 mg/l pimephales promelas
LC50 fish 2	> 10000 mg/l cyprinodon variegatus
EC50 Daphnia 1	> 1000 mg/l
EC50 other aquatic organisms 2	> 10000 mg/l 0,1d - slib
EC50 96h algae (1)	> 1000 mg/l Chlorophyta
Phosphorodithioic acid, mixed O,O-bis	s(1,3-dimethylbutyl and iso-Pr) esters, zinc salts
LC50 fish 1	4,5 mg/l Oncorhynchus mykiss
LC50 fish 2	46 mg/l Cyprinodon varietagus
EC50 Daphnia 1	23 mg/l
EC50 Daphnia 2	0,8 mg/l @21d
EC50 other aquatic organisms 2	10000 mg/l @0,1d - Chlorophyta
EC50 72h algae (1)	21 mg/l @3d - Chlorophyta
NOEC (acute)	1,8 mg/l @4d - Oncorhynchus mykiss
NOEC (chronic)	10 mg/l @2d - Daphnia
NOEC chronic fish	0,4 mg/l @21d - Daphnia
NOEC chronic algae	10 mg/l @3d - Chlorophyta

12.2. Persistence and degradability		
CHAMPION ACTIVE DEFENCE SAE 40 SF/CD		
Persistence and degradability	Not soluble in water, so only minimally biodegradable.	
Phenol, dodecyl-, branched		
Biodegradation	25 % @28d - strum - OECD TG 301 B	
Mineral oil		
Biodegradation	31 % 28d - OECD TG 301 B	
Benzenesulfonic acid, mono-C16-24-alkyl deri	vs., calcium salts	
BOD (% of ThOD)	8 % ThOD 28d - OECD TG 301 D	
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts		
Biodegradation	1,5 % @28d - OECD TG 301 B	

#### **Bioaccumulative potential** 12.3.

Phenol, dodecyl-, branched		
Bioconcentration factor (BCF REACH)	794,33	
Log Kow	7,14 Measurements	
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts		
Log Kow 4,46 - 10,88 OECD 107/117		
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts		
Log Kow	0,56 Measurements	

# Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

# Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

# SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

25/08/2016 EN (English) 5/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

#### 14.1. UN number

Not regulated for transport

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

#### 14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

#### 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

# 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

## - Overland transport

No data available

#### - Transport by sea

No data available

#### - Air transport

No data available

# - Inland waterway transport

No data available

## - Rail transport

No data available

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

25/08/2016 EN (English) 6/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

#### 15.1.2. National regulations

#### Germany

VwVwS Annex reference : Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex

4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen

: Phenol, dodecyl-, branched, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts are

listed

SZW-lijst van mutagene stoffen

: Phenol, dodecyl-, branched, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding

: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting

: None of the components are listed

giftige stoffen – Vruchtbaarheid

: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling

#### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation

: Pregnant/breastfeeding women working with the product must not be in direct contact with the

product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

#### **SECTION 16: Other information**

Ind	lica	tion	of	C	nar	ηg	es:

1	Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]	Modified	
2.2	Label elements	Modified	
3.2	Composition/informatio n on ingredients	Modified	

#### Abbreviations and acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists
TWA: Time Weighted Average
TLV: Threshold Limit Value
ASTM: American Society for Testing and Materials
ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
IMDG: International Maritime Dangerous Goods
ICAO: International Civil Aviation Organization
IATA: International Air Transport Association
STEL: Short Term Exposure Limit
LD50: median Lethal Dose for 50% of subjects
ATE: acute toxicity estimate
LC50: median Lethal Concentration for 50% of subjects
EC50: concentration producing 50% effect

25/08/2016 EN (English) 7/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Other information

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

#### Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1B	Sensitisation — Skin, category 1B
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H361f	Suspected of damaging fertility
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
EUH208	Contains . May produce an allergic reaction
EUH210	Safety data sheet available on request
Name of the Control o	

#### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

25/08/2016 EN (English) 8/8