

DONNEES TECHNIQUES

70
pour véhicules 12V
PVR4
55
M6 B+
PLUG687
_

PHOTOS













Bomes	
L	Trio (Lamp)
IG	Ignition (+)

DOCUMENTS

BT-130 Refus des carcasses alternateurs/démarreurs



APPLICATIONS

DAIHATSU		
COPEN - 1.3	87 ch	03.2006 >
SIRION (M3_) - 1.3	87 ch	01.2005 >
	91 ch	03.2008 >
SIRION (M3_) - 1.3 4WD	87 ch	04.2005 >
	91 ch	03.2008 >
SIRION (M3_) - 1.5	103 ch	03.2008 >
SIRION (M3_) - 1.5 4WD	103 ch	05.2006 > 10.2008
TERIOS (2005-) (J2_) - 1.3 DVVT	86 ch	11.2005 >
TERIOS (2005-) (J2_) - 1.3 DVVT 4x4	86 ch	11.2005 >
TERIOS (2005-) (J2_) - 1.5	105 ch	11.2005 >
TERIOS (2005-) (J2_) - 1.5 4WD	105 ch	05.2006 >

Avant montage, comparez la pièce reçue à celle d'origine afin de vérifier que la bonne pièce a été choisie et peut être montée sur le véhicule. Le non-respect de cette consigne ou des instructions de montage annule la garantie.