










www.myperformanceplus.de

performance
plus



EXPERIENCE THE NEW
PREMIUM
WORKSHOP TROLLEYS

KSTOOLS

OR HOW ABOUT THIS POWER



P15

PERFECT PERFORMANCE!

2.449,- €

815.7397

including 397 tools >>

PERFORMANCE PLUS

PACK?



Brilliant **DUO Lock** locking system



8 drawers each load capacity up to 50 kg



Stable **ball bearing**



Plastic worktop



Lock lockable



Anti-static castors with brakes



Integrated **corner protection**




Paper roll holder included



Can holder included




SCS
ERGOTORQUEPLUS
SCREWDRIVER SET, 41 PCS




SCS
1/4\"/>




SCS
1/2\"/>




SCS
KEY SET,
41 PCS




SCS **PLIERS SET,**
23 PCS



SCS **TIRE SERVICE TOOL SET,**
43 PCS



SCS **CHISEL AND HAMMER SET,**
22 PCS



Scan the QR code for a
detailed range list

811.0041

M Screwdriver set

139,^{EUR}—



568 x 398



P10



P10TC



P15



P20





P30



P35



P45



Pos.	Code	Description	pcs
1	911.1128	ERGOTORQUE Socket screwdriver, 8 mm	1
2	159.1127	ERGOTORQUEplus Socket screwdriver, 7 mm	1
3	159.1126	ERGOTORQUEplus Socket screwdriver, 6 mm	1
4	159.1032	ERGOTORQUEplus screwdriver, Torx, T10	1
5	159.1033	ERGOTORQUEplus screwdriver, Torx, T15	1
6	159.1034	ERGOTORQUEplus screwdriver, Torx, T20	1
7	159.1035	ERGOTORQUEplus screwdriver, Torx, T25	1
8	159.1036	ERGOTORQUEplus screwdriver, Torx, T27	1
9	159.1037	ERGOTORQUEplus screwdriver, Torx, T30	1
10	159.1038	ERGOTORQUEplus screwdriver, Torx, T40	1
11	159.1208	ERGOTORQUEplus socket screwdriver, 10 mm	1
12	159.1011	ERGOTORQUEplus screwdriver for slotted screws, 8 mm, 315 mm	1
13	159.1009	ERGOTORQUEplus screwdriver for slotted screws, 6,5 mm, 255 mm	1
14	159.1006	ERGOTORQUEplus screwdriver for slotted screws, 5,5 mm, 230 mm	1
15	159.1004	ERGOTORQUEplus screwdriver for slotted screws, 4 mm, 180 mm	1
16	159.1030	ERGOTORQUEplus screwdriver, Torx, T8	1
17	159.1031	ERGOTORQUEplus screwdriver, Torx, T9	1
18	159.1001	ERGOTORQUEplus screwdriver for slotted screws, 6 mm, stubby	1
19	159.1026	ERGOTORQUEplus screwdriver for screws PH, PH2, stubby	1
20	159.1027	ERGOTORQUEplus screwdriver for screws PH, PH0, 155 mm	1
21	159.1029	ERGOTORQUEplus screwdriver for screws PH, PH1, 205 mm	1
22	159.1022	ERGOTORQUEplus screwdriver for screws PH, PH2, 230 mm	1
23	159.1024	ERGOTORQUEplus screwdriver for screws PH, PH3, 265 mm	1
24	151.4530	Ball ended Torx key wrench set, extra long and bent 108°, 9 pcs	9
25	151.4560	Ball ended hexagon key wrench set, 108° angled, 9 pcs	9

811.0111

M 1/4" + 3/8" + 1/2" Socket spanner set



369,^{EUR}



568 x 398



P10



P10TC



P15



P20



P30



P35




P45

Pos.	Code	Description	pcs
1	911.1462	1/4" Bit socket Torx tamperproof, TB10	1
2	911.1463	1/4" Bit socket Torx tamperproof, TB15	1
3	911.1464	1/4" Bit socket Torx tamperproof, TB20	1
4	911.1465	1/4" Bit socket Torx tamperproof, TB25	1
5	911.1466	1/4" Bit socket Torx tamperproof, TB27	1
6	911.1467	1/4" Bit socket Torx tamperproof, TB30	1
7	911.1468	1/4" Bit socket Torx tamperproof, TB40	1
8	911.1442	1/4" Bit socket Torx, T10	1
9	911.1443	1/4" Bit socket Torx, T15	1
10	911.1444	1/4" Bit socket Torx, T20	1
11	911.1445	1/4" Bit socket Torx, T25	1
12	911.1449	1/4" Bit socket Torx, T27	1
13	911.1446	1/4" Bit socket Torx, T30	1
14	911.1447	1/4" Bit socket Torx, T40	1
15	911.1419	1/4" Bit socket slot, 5,5 mm	1
16	911.1416	1/4" Bit socket, PH2	1
17	911.1436	1/4" Bit socket hexagon, 3 mm	1
18	911.1437	1/4" Bit socket hexagon, 4 mm	1
19	911.1438	1/4" Bit socket hexagon, 5 mm	1
20	911.1439	1/4" Bit socket hexagon, 6 mm	1

Pos.	Code	Description	pcs
21	911.1440	1/4" Bit socket hexagon, 7 mm	1
22	911.1701	1/4" Bit socket five star tamperproof, TS10	1
23	911.1702	1/4" Bit socket five star tamperproof, TS15	1
24	911.1703	1/4" Bit socket five star tamperproof, TS20	1
25	911.1704	1/4" Bit socket five star tamperproof, TS25	1
26	911.1705	1/4" Bit socket five star tamperproof, TS27	1
27	911.1706	1/4" Bit socket five star tamperproof, TS30	1
28	911.1707	1/4" Bit socket five star tamperproof, TS40	1
29	917.3812	3/8" Hexagonal socket, 12 mm	1
30	917.3813	3/8" Hexagonal socket, 13 mm	1
31	917.3814	3/8" Hexagonal socket, 14 mm	1
32	917.3815	3/8" Hexagonal socket, 15 mm	1
33	917.3816	3/8" Hexagonal socket, 16 mm	1
34	917.3817	3/8" Hexagonal socket, 17 mm	1
35	917.3818	3/8" Hexagonal socket, 18 mm	1
36	917.3819	3/8" Hexagonal socket, 19 mm	1
37	917.3808	3/8" Hexagonal socket, 8 mm	1
38	917.3809	3/8" Hexagonal socket, 9 mm	1
39	917.3810	3/8" Hexagonal socket, 10 mm	1
40	917.3811	3/8" Hexagonal socket, 11 mm	1


Pos.	Code	Description	pcs
41	917.1404	1/4" Hexagonal socket, 4 mm	1
42	917.1405	1/4" Hexagonal socket, 5 mm	1
43	917.1406	1/4" Hexagonal socket, 6 mm	1
44	917.1407	1/4" Hexagonal socket, 7 mm	1
45	917.1408	1/4" Hexagonal socket, 8 mm	1
46	917.1409	1/4" Hexagonal socket, 9 mm	1
47	917.1410	1/4" Hexagonal socket, 10 mm	1
48	917.1411	1/4" Hexagonal socket, 11 mm	1
49	917.1412	1/4" Hexagonal socket, 12 mm	1
50	917.1413	1/4" Hexagonal socket, 13 mm	1
51	917.1221	1/2" Hexagonal socket, 21 mm	1
52	917.1222	1/2" Hexagonal socket, 22 mm	1
53	917.1224	1/2" Hexagonal socket, 24 mm	1
54	917.1343	1/2" Hexagonal socket, 26 mm	1
55	917.1227	1/2" Hexagonal socket, 27 mm	1
56	917.1344	1/2" Hexagonal socket, 28 mm	1
57	917.1230	1/2" Hexagonal socket, 30 mm	1
58	917.1232	1/2" Hexagonal socket, 32 mm	1
59	917.1210	1/2" Hexagonal socket, 10 mm	1
60	917.1211	1/2" Hexagonal socket, 11 mm	1



Pos.	Code	Description	pcs	Pos.	Code	Description	pcs	Pos.	Code	Description	pcs
61	917.1212	1/2" Hexagonal socket, 12 mm	1	79	500.7304	3/8" Glow plug joint sockets, short, 75 mm, 12 mm	1	96	911.3850	3/8" Universal joint	1
62	917.1213	1/2" Hexagonal socket, 13 mm	1	80	500.7305	3/8" Glow plug joint sockets, short, 75 mm, 14 mm	1	97	920.3890	3/8" SlimPOWER Reversible ratchet, 72 teeth	1
63	917.1214	1/2" Hexagonal socket, 14 mm	1	81	500.7306	3/8" Glow plug joint sockets, short, 75 mm, 16 mm	1	98	920.1290	1/2" SlimPOWER Reversible ratchet, 72 teeth	1
64	917.1215	1/2" Hexagonal socket, 15 mm	1	82	914.1410	Mini hand reversible ratchet, 1/4", 72 teethh	1	99	917.3828	3/8" Hexagonal socket, deep, 8 mm	1
65	917.1216	1/2" Hexagonal socket, 16 mm	1	83	914.3810	Mini hand reversible ratchet, 3/8", 72 teethh	1	100	917.3829	3/8" Hexagonal socket, deep, 9 mm	1
66	917.1217	1/2" Hexagonal socket, 17 mm	1	84	911.1424	1/4" Extension with hexagon drive, 100 mm	1	101	917.3830	3/8" Hexagonal socket, deep, 10 mm	1
67	917.1218	1/2" Hexagonal socket, 18 mm	1	85	911.1423	1/4" Extension with hexagon drive, 50 mm	1	102	917.3831	3/8" Hexagonal socket, deep, 11 mm	1
68	917.1219	1/2" Hexagonal socket, 19 mm	1	86	911.1250	1/2" Universal joint	1	103	917.3832	3/8" Hexagonal socket, deep, 12 mm	1
69	917.1220	1/2" Hexagonal socket, 20 mm	1	87	911.3801	3/8" Extension with knurling, 75 mm	1	104	917.3833	3/8" Hexagonal socket, deep, 13 mm	1
70	500.7310	Glow plug pliers, angled, 235 mm	1	88	911.3802	3/8" Extension with knurling, 150 mm	1	105	917.3834	3/8" Hexagonal socket, deep, 14 mm	1
71	500.7330	Glow plug pliers, 265 mm	1	89	911.3897	3/8" Reducing adaptor, 3/8" F x 1/4" M	1	106	917.3835	3/8" Hexagonal socket, deep, 15 mm	1
72	911.3990	3/8" Special spark plug socket, thin-walled, 14 mm	1	90	911.3826	3/8" Slider/Reducing adaptor, 1/2" F x 3/8" M	1	107	917.3836	3/8" Hexagonal socket, deep, 16 mm	1
73	911.3804	3/8" Spark plug socket, 16 mm	1	91	911.1202	1/2" Extensions, 125 mm	1	108	917.3837	3/8" Hexagonal socket, deep, 17 mm	1
74	911.3823	3/8" Spark plug socket, 18 mm	1	92	911.1203	1/2" Extensions, 250 mm	1	109	917.3838	3/8" Hexagonal socket, deep, 18 mm	1
75	911.3805	3/8" Spark plug socket, 21 mm	1	93	911.1204	Sliding T-bar, 1/2", 250 mm	1	110	917.3839	3/8" Hexagonal socket, deep, 19 mm	1
76	500.7301	3/8" Glow plug joint sockets, short, 75 mm, 8 mm	1	94	911.1450	1/4" Universal joint	1	111	911.1207	3/8" Sliding adaptor, 3/8" F x 1/2" M	1
77	500.7302	3/8" Glow plug joint sockets, short, 75 mm, 9 mm	1	95	920.1490	1/4" SlimPOWER Reversible ratchet, 72 teeth	1				
78	500.7303	3/8" Glow plug joint sockets, short, 75 mm, 10 mm	1								

811.1111

M 1/2" Screwdriver bit set



359,^{EUR}—



568 x 398



P10



P10TC



P15



P20



P30



P35




P45

Pos.	Code	Description	pcs
1	917.1455	1/2" Flexi head drive handle	1
2	911.1308	1/2" Bit socket hexagon, short, 8 mm	1
3	911.1309	1/2" Bit socket hexagon, short, 9 mm	1
4	911.1310	1/2" Bit socket hexagon, short, 10 mm	1
5	911.1312	1/2" Bit socket hexagon, short, 12 mm	1
6	911.1314	1/2" Bit socket hexagon, short, 14 mm	1
7	911.1317	1/2" Bit socket hexagon, short, 17 mm	1
8	911.1319	1/2" Bit socket hexagon, short, 19 mm	1
9	911.1340	1/2" Bit socket spline (XZN), M5, 55 mm	1
10	911.1341	1/2" Bit socket spline (XZN), M6, 55 mm	1
11	911.1342	1/2" Bit socket spline (XZN), M8, 55 mm	1
12	911.1313	1/2" Bit socket spline (XZN), M9, 55 mm	1
13	911.1343	1/2" Bit socket spline (XZN), M10, 55 mm	1
14	911.1344	1/2" Bit socket spline (XZN), M12, 55 mm	1

Pos.	Code	Description	pcs
15	911.1345	1/2" Bit socket spline (XZN), M14, 55 mm	1
16	911.1348	1/2" Bit socket spline (XZN) tamperproof, M16, 55 mm	1
17	911.1307	1/2" Bit socket hexagon, short, 7 mm	1
18	911.1306	1/2" Bit socket hexagon, short, 6 mm	1
19	911.1305	1/2" Bit socket hexagon, short, 5 mm	1
20	911.1362	1/2" Bit socket Torx, T25	1
21	911.1363	1/2" Bit socket Torx, T27	1
22	911.1364	1/2" Bit socket Torx, T30	1
23	911.1365	1/2" Bit socket Torx, T40	1
24	911.1366	1/2" Bit socket Torx, T45	1
25	911.1367	1/2" Bit socket Torx, T50	1
26	911.1368	1/2" Bit socket Torx, T55	1
27	911.1369	1/2" Bit socket Torx, T60	1

Pos.	Code	Description	pcs
28	911.1370	1/2" Bit socket Torx, T70	1
29	911.4326	1/2" Torx E Socket, E24	1
30	911.4325	1/2" Torx E Socket, E22	1
31	911.4324	1/2" Torx E Socket, E20	1
32	913.1473	1/4" Spiral profile impact socket, 6 mm	1
33	913.1408	1/4" Spiral profile impact socket, 8 mm	1
34	913.1410	1/4" Spiral profile impact socket, 10 mm	1
35	913.1470	1/4" Spiral profile impact socket, 11 mm	1
36	913.1412	1/4" Spiral profile impact socket, 12 mm	1
37	913.1468	1/2" Spiral profile impact socket, 13 mm	1
38	913.1467	1/2" Spiral profile impact socket, 14 mm	1
39	913.1466	1/2" Spiral profile impact socket, 15 mm	1
40	913.1465	1/2" Spiral profile impact socket, 17 mm	1
41	913.1464	1/2" Spiral profile impact socket, 19 mm	1




Pos.	Code	Description	pcs	Pos.	Code	Description	pcs	Pos.	Code	Description	pcs
42	913.1463	1/2" Spiral profile impact socket, 21 mm	1	56	911.1529	1/2" Bit socket Torx, long, T60	1	70	911.1942	1/2" Bit socket Torx, T70, 140 mm	1
43	911.4333	1/2" Torx E Socket, E10	1	57	911.1517	1/2" Bit socket Torx, long, T70	1	71	911.1925	1/2" Bit socket RIBE, M9, 110 mm	1
44	911.4334	1/2" Torx E Socket, E11	1	58	911.1325	1/2" Bit socket hexagon, long, 5 mm	1	72	911.4554	1/2" Bit socket RIBE, M10.1, 110 mm	1
45	911.4335	1/2" Torx E Socket, E12	1	59	911.1326	1/2" Bit socket hexagon, long, 6 mm	1	73	911.1351	1/2" Bit socket spline (XZN), M6, 110 mm	1
46	911.4336	1/2" Torx E Socket, E14	1	60	911.1327	1/2" Bit socket hexagon, long, 7 mm	1	74	911.1352	1/2" Bit socket spline (XZN), M8, 110 mm	1
47	911.4322	1/2" Torx E Socket, E16	1	61	911.1328	1/2" Bit socket hexagon, long, 8 mm	1	75	911.1353	1/2" Bit socket spline (XZN), M10, 110 mm	1
48	911.4323	1/2" Torx E Socket, E18	1	62	911.1330	1/2" Bit socket hexagon, long, 10 mm	1	76	911.1354	1/2" Bit socket spline (XZN), M12, 110 mm	1
49	911.1522	1/2" Bit socket Torx, long, T25	1	63	911.1332	1/2" Bit socket hexagon, long, 12 mm	1	77	911.1355	1/2" Bit socket spline (XZN), M14, 110 mm	1
50	911.1523	1/2" Bit socket Torx, long, T27	1	64	917.1332	1/2" Bit socket hexagon, long, 14 mm	1	78	515.1176	1/2" impact socket, XZN, M18 long	1
51	911.1524	1/2" Bit socket Torx, long, T30	1	65	911.1993	1/2" Bit socket RIBE, M7, 240 mm	1	79	911.2055	1/4" Bit set, 31 pcs	1
52	911.1525	1/2" Bit socket Torx, long, T40	1	66	911.1994	1/2" Bit socket RIBE, M8, 240 mm	1	80	913.1475	Extension drive, large	1
53	911.1526	1/2" Bit socket Torx, long, T45	1	67	911.5313	Hex bit socket, ball ended, long, 1/2", 6 mm	1	81	913.1474	Extension drive, small	1
54	911.1527	1/2" Bit socket Torx, long, T50	1	68	911.1960	1/2" Bit socket hexagon, 10 mm, 140 mm	1				
55	911.1528	1/2" Bit socket Torx, long, T55	31	69	911.1980	1/2" Bit socket RIBE, M10, 140 mm	1				

811.1041

M Screw spanner set

269, ^{EUR}—



Pos.	Code	Description	pcs
1	517.0815	Double ring spanner, offset, 21 x 23 mm	1
2	517.0812	Double ring spanner, offset, 18 x 19 mm	1
3	517.0810	Double ring spanner, offset, 16 x 17 mm	1
4	517.0809	Double ring spanner, offset, 14 x 15 mm	1
5	517.0807	Double ring spanner, offset, 12 x 13 mm	1
6	517.0804	Double ring spanner, offset, 10 x 11 mm	1
7	517.0802	Double ring spanner, offset, 8 x 9 mm	1
8	517.0801	Double ring spanner, offset, 6 x 7 mm	1
9	911.0376	Double ring spanner for Torx E profile, E20 x E24	1
10	911.0375	Double ring spanner for Torx E profile, E16 x E22	1
11	911.0374	Double ring spanner for Torx E profile, E14 x E18	1
12	911.0373	Double ring spanner for Torx E profile, E10 x E12	1
13	911.0372	Double ring spanner for Torx E profile, E7 x E11	1
14	911.0371	Double ring spanner for Torx E profile, E6 x E8	1
15	518.0529	Open double ring spanner, with double joint, 12 x 13 mm	1
16	518.0528	Open double ring spanner, with double joint, 10 x 11 mm	1
17	517.0612	Combination spanners, offset, 12 mm	1
18	517.0611	Combination spanners, offset, 11 mm	1
19	517.0610	Combination spanners, offset, 10 mm	1
20	517.0609	Combination spanners, offset, 9 mm	1
21	517.0608	Combination spanners, offset, 8 mm	1
22	517.0607	Combination spanners, offset, 7 mm	1
23	517.0606	Combination spanners, offset, 6 mm	1
24	517.0301	Double revolving head spanner, 8 x 9mm	1
25	517.0302	Double revolving head spanner, 10 x 11 mm	1
26	517.0303	Double revolving head spanner, 12 x 13 mm	1
27	517.0304	Double revolving head spanner, 14 x 15 mm	1
28	517.0305	Double revolving head spanner, 16 x 17 mm	1
29	517.0306	Double revolving head spanner, 18 x 19 mm	1
30	517.0613	Combination spanners, offset, 13 mm	1
31	517.0614	Combination spanners, offset, 14 mm	1
32	517.0615	Combination spanners, offset, 15 mm	1
33	517.0616	Combination spanners, offset, 16 mm	1
34	517.0617	Combination spanners, offset, 17 mm	1
35	517.0618	Combination spanners, offset, 18 mm	1
36	517.0619	Combination spanners, offset, 19 mm	1
37	517.0620	Combination spanners, offset, 20 mm	1
38	517.0621	Combination spanners, offset, 21 mm	1
39	517.0622	Combination spanners, offset, 22 mm	1
40	517.0623	Combination spanners, offset, 23 mm	1
41	517.0624	Combination spanners, offset, 24 mm	1

811.0019

M Pliers and file set

309, ^{EUR}—



568 x 398



P10



P10TC



P15



P20



P30




P35



P45



Pos.	Code	Description	pcs
1	157.0405	Tri-bastard file, form C, cut 2, 200 mm	1
2	157.0105	Halfround file, form E, cut 2, 20 mm	1
3	157.0005	Flat file, form B, cut 2, 200 mm	1
4	157.0205	Round file, form F, cut 2, 200 mm	1
5	907.2166	Snap off blades 0,5 x1 8 x 100 mm, dispenser with 10 pieces	10
6	300.0114	Tape measure with locking device and belt clip, black red, 5 m, 19 mm	1
7	300.0510	Pocket vernier calliper 0-150 mm, 235 mm	1
8	300.0600	Feeler gauge, 20 Blades, 0,05-1 mm	1
9	907.2135	Universal snap off blade knife 18 mm	1
10	115.1033	Self grip wrench, 220 mm	1
11	115.2010	Water pump pliers, 240 mm	1
12	500.1026	Circlip pliers for external circlips, angled, 160 mm	1
13	500.1029	Circlip pliers for external circlips, 160 mm	1
14	500.1032	Circlip pliers for internal circlips, angled, 160 mm	1
15	500.1035	Circlip pliers for internal circlips, 160 mm	1
16	115.1012	ERGOTORQUE diagonal side cutter, 160 mm	1
17	115.1021	ERGOTORQUE combination pliers, 180 mm	1
18	115.1019	ERGOTORQUE bent nose pliers serrated, 210 mm	1
19	115.1024	ERGOTORQUE long nose pliers serrated cutter, 200 mm	1



811.0043

M Oil and tyre servicing set



399, ^{EUR}—

43


568 x 398



Pos.	Code	Description	pcs
1	150.2222	Brake piston reset device, 3/8"	1
2	150.9120	3/8" Oil service bit socket for internal square screws, 3/8" mm	1
3	150.9119	3/8" Oil service bit socket for internal square screws, 5/16" mm	1
4	150.9111	3/8" Oil service bit socket for internal square screws, 7 mm	1
5	150.9112	3/8" Oil service bit socket for internal square screws, 8 mm	1
6	150.9113	3/8" Oil service bit socket for internal square screws, 10 mm	1
7	150.9114	3/8" Oil service bit socket for internal square screws, 11 mm	1

Pos.	Code	Description	pcs
8	150.9116	3/8" Oil service bit socket 12 mm for internal square screws	1
9	150.9117	3/8" Oil service bit socket 13 mm for internal square screws	1
10	150.9118	3/8" Oil service bit socket 14 mm for internal square screws	1
11	150.9122	3/8" Oil service bit socket 10 mm for internal square screws	1
12	150.9121	3/8" Oil service bit socket 10 mm for internal square screws	1
13	150.9123	3/8" Oil service bit socket 8 mm for internal square screws	1

Pos.	Code	Description	pcs
14	150.9124	3/8" Oil service bit socket 9 mm for internal square screws	1
15	150.9125	3/8" Oil service bit socket 10 mm for internal square screws	1
16	150.9126	3/8" Oil service bit socket 12 mm for internal square screws	1
17	150.9127	3/8" Oil service bit socket 14 mm for internal square screws	1
18	150.9128	3/8" Oil service bit socket 17 mm for internal square screws	1
19	150.2153	1/2" Brake calliper bit socket, pentagon, 10 mm	1
20	150.2154	1/2" Brake calliper socket, pentagon, 14 mm	1



Pos.	Code	Description	pcs	Pos.	Code	Description	pcs	Pos.	Code	Description	pcs
21	150.2155	1/2" Brake calliper socket, pentagon, 19 mm	1	29	115.1175	Round jaw-American type, 175 mm	1	36	157.0960	Brake saddle file, extra narrow, 270 mm	1
22	150.2199	Brake fluid tester	1	30	150.2025	Wheel balance weight pliers, 250 mm	1	37	911.8132	Glass fibre chisel, 22 mm	1
23	150.9317	Oil filter pliers, 50-125 mm	1	31	515.0991	SlimPOWER 1/2"Alloy rim impact socket, 15 mm	1	38	201.2335	Steel wire brake saddle brush, 2-row, straight	1
24	156.0114	Pin punch octagonal shaft, mirror polished, Ø 5mm	1	32	515.0992	SlimPOWER 1/2"Alloy rim impact socket, 17mm	1	39	201.2340	Brass wire brake saddle brush, 2-row, curved	1
25	156.0122	Pin punch octagonal shaft, mirror polished, extra long, Ø 4mm	1	33	515.0993	SlimPOWER 1/2"Alloy rim impact socket, 19 mm	1	40	150.9217	3/8" Universal Oil filter band wrench, SW 27 mm	1
26	155.5005	Oil filter band wrench, Ø 65-105 mm	1	34	515.0994	SlimPOWER 1/2"Alloy rim impact socket, 21 mm	1	41	150.9218	3/8" Universal Oil filter band wrench, SW 32 mm	1
27	911.1348	1/2" Bit socket spline (XZN) tamperproof, M16, 55 mm	1	35	515.0995	SlimPOWER 1/2"Alloy rim impact socket, 22 mm	1	42	150.9219	3/8" Universal Oil filter band wrench, SW 36 mm	1
28	300.0535	Brake disk vernier calliper, 0-60 mm, 162 mm	1					43	150.9215	3/8" Oil filter wrench, 74,2mm, 14 grooves	1

811.0022

M Hammer and chisel set

209, ^{EUR}—



568 x 398



P10



P10TC



P15



P20



P30




P35




P45



Pos.	Code	Description	pcs
1	911.8138	Trim plastic wedge, 195 x 30mm	1
2	140.5252	Recoil free soft faced hammer, 400 g	1
3	142.1402	Fitters hammer, fiberlas handle, 400 g	1
4	142.5101	Club hammer, fiberlas handle, 1000 g	1
5	550.1025	Flexible magnet lifter, 510mm, Øhead=15mm	1
6	550.1001	2in1 Telescopic solenoid holder with washer jet cleaning and setting tool, 150 - 675 mm	1
7	150.4370	perfectLight torch 85 lumen	1
8	911.8146	Tyre lever, 370 mm	1
9	201.2335	Steel wire brake saddle brush, 2-row, straight 225 mm	1
10	156.0241	Flat chisel, octagon, 20 mm	1
11	156.0254	Flat chisel, octagon, 18 mm	1
12	156.0242	Cross chisel, octagon, 7 mm	1
13	156.0243	Centre punch, octagon 10 mm	1
14	156.0244	Punch, Ø 5 mm, conical	1
15	156.0238	Punch, Ø 4 mm, conical	1
16	156.0237	Punch, Ø 3 mm, conical	1
17	156.0231	Pin punch, Ø 3 mm, cylindrical shaft	1
18	156.0232	Pin punch, Ø 4 mm, cylindrical shaft	1
19	156.0233	Pin punch, Ø 5 mm, cylindrical shaft	1
20	156.0234	Pin punch, Ø 6 mm, cylindrical shaft	1
21	156.0235	Pin punch, Ø 8 mm, cylindrical shaft	1
22	907.2232	Gasket scraper, 25 x 200 mm	1



POWER AND PERFORMANCE ON OVER 300 PAGES!



www.myperformanceplus.de



You can experience all workshop tool trolleys, all inserts and every tool in our 300-page catalog.



If you want to see Performance Plus in action: Watch the film!



Your businesspartner



KS Tools Werkzeuge - Maschinen GmbH
Seligenstädter Grund 10-12
63150 Heusenstamm
Deutschland
Tel.: +49 (0)6104 4974-0
Fax: +49 (0)6104 4974-11
E-Mail: info@kstools.de
www.myperformanceplus.de



All prices plus VAT. With the publication of this brochure all previous prices lose their validity. Sale only to specialist dealers. Subject to misprints, mistakes and technical changes. Prices valid until March 31, 2022